



Donaldson Delivers

Engine Liquid Filtration

Complete Coverage for Cummins® ISX Engines

Cummins® is a registered trademark of Cummins, Inc.





Lube Filtration

Donaldson offers three different low filter's for Cummins ISX engines that keep oil clean by capturing contaminants that can cause engine damage. Choose the filter that best fits your requirements.



9559000

High Efficiency

High Efficiency

High Efficiency

9559000

El E7900



Fuel Filtration

Primary

Complete line of catalysts for $\text{HAWCO}^{\text{®}}$ Fuel - Co^2 250/329 and 169/163 Fuel Processors. Provides the same performance and service life as the original.

See Brochure 1-1285 for complete catalyst details.

BLACK HAWK is a registered trademark of BLACK HAWK, INC.

Secondary

P555686 For 15.0 _ engine
Cummins 3685306 / Fleetguard FF5686
2010 Engines and Newer

P555776 For 13L engines
Cummins 2893612 / Fleetguard FF5776
2010 Engines and Newer

P552200 For both 150L and 110L engines
Cummins 4088272 / Fleetguard FF2200
Pre-2010 Engines



Coolant Filtration



P550866
Extended service
S3A-E Uris
Cummins 49074

P550867
Extended ser-
mon-chlorine
Cummings 30

Cummins 4907485 / Fleetguard WF2126

Cummins 36R0434 / Fleetguard WF2177

Donaldson delivers dependable filters for reliable engine protection and increased uptime.

Built to Perform – and Designed for Durability

Durable, rugged and built to last, Donaldson replacement filters are manufactured to the same quality standards as the original, providing:

- Increased engine protection
- Increased uptime
- Reduced maintenance
- Reduced operating costs

Donaldson Filtration Products for Cummins ISX Engines

Donaldson Part No.	Cross Reference			
	Baldwin	Fleetguard	Mann+Hummel	Wix
Primary Fuel Filtration				
P552203 ▪ Efficiency: 95% @ 140µm	BF7760	FF2203	N/A	33691
Secondary Fuel Filtration				
P555686 (15.0L) 2010 Engines and Newer ▪ Efficiency: 99% @ 5µm	BF9860	FF5686	N/A	N/A
P555776 (11.9L) 2010 Engines and Newer ▪ Efficiency: 99% @ 5µm	N/A	FF5776	N/A	N/A
P552200 Pre-2010 Engines ▪ Efficiency: 93% @ 8µm	BF7766	FF2200	N/A	33711
Lube Filtration				
P550949 OEM Efficiency, Standard Service Life ▪ Efficiency: >99% @ 30µm	BD7154	LF9080	WP 12 120/1	57746XD
P559000 High Efficiency, Standard Service Life ▪ Efficiency: 99% @ 15µm				
ELF7900 High Efficiency, Heavy-Duty Long-Life Seals ▪ Efficiency: 99% @ 15µm	N/A	LF9031	WP 12 120/1	57746XD
Coolant Filtration				
P550866 ▪ Efficiency: 99% @ 50µm	BW5086	WF2126	N/A	24112
P550867 ▪ Efficiency: 99% @ 50µm	B5087	WF2127	N/A	24113